



Government of India  
Ministry of Commerce & Industry  
Petroleum & Explosives Safety Organisation (PESO)  
5th Floor, A-Block, OGO Complex, Admiralty Hills,  
Nagpur - 440006

E-mail : [explosives@explosives.gov.in](mailto:explosives@explosives.gov.in)

Phone/Fax No : 0712 -2510248, Fax-2510577

Approval No : A/P/HQ/MH/104/6223 (P446518)

Dated : 21/06/2019

To,

M/s. Daggez Dogalgaz ,  
Daggaz Dogalgaz Malzemeleri Muhendislik MusavirlikTurizm Insaat Taah San.ve. Tic. Ltd. Sti Arslanbey OSB, Mah. 8.Sok No. 7,Kartepe-  
Kocaeli

Turkey

25 JUN 2019

**Sub :** Approval for Chemical Dosing and Injection System, Odorizing System Type DO-NG under Petroleum Rules, 2002-reg.

Sir(s),

Please refer to your letter No. AP/PESO/0018/03/2019 dated 01/06/2019 on the subject.

There would be no objection to your supplying subject manufactured item/equipment by you conforming to according to EN 60079-0 : 2012/A11 : 2013, EN 60079-1 : 2014, EN 60079-11 : 2012, EN 60079-18 : 2015, EN 60079-26 : 2015, standards and covered under Certificate No. dted. The above shall be comprising of following approved type of electrical components as described below, the subject manufactured items is suitable for Zone 1 only:-

Sr.No	Description (Components Description)	Make	Safety Protection	Agency	Certificate No. & Date
1	EJB.SZ MT RT type Electric Junction Box, EUROEX branded	Bireks Elektrik Mak. Muh. San. ve Tic Ltd. Sti	Ex db IIB T6 Gb	Turkish Standards Institute	TSE 18ATEX00R6 X Module B Date 28/03/2018
2	Junction Box (Electrical Board). series EJB.X...	Bireks Electrical Mac Co.	Ex d IIB T5 Gb	Munproekt JSC	MP 12 ATEX 0091 X Supplement 2 Date 21/04/2015
3	2 Wire Programmable Transmitter Type 5333D	PR Electronics	Ex ia IIC T4..T6 Ga	Dekra Certification B.V.	IECEx DEK 13.0036X Issue No. 0 Date 21/08/2013
4	Capacity Level Meter type DLM-35Xi (XiT, XiM, XiMT)	Dinel, s.r.o	Ex ia IIB T4 Ga	Physical Technical Testing Institute	FTZU 16 ATEX 0138X Date 01/03/2017
5	Capacity Level Meter CLM-36Xi (XiT)	Dinel, s.r.o	Ex ia IIB T5 Ga	Physical Technical Testing Institute	FTZU 02 ATEX 0235X Date 03/08/2017
6	Solenoid / EMXX and EM5	Asco Joucomatic Limited	Ex mb IIC T3..T6 Gb	Sira Certification Service	IECEx SIR 06.0109X Issue No. 13 Date 27/11/2018
7	Pressure Transmitter	Trafag AG, Sensors and Controls	Ex ia IIC T4/T6 Ga	Electrosuisse div. Testing and Certification	IECEx SEV 11.0003X Issue No. 2 Date 16/05/2017
8	Sensoren type N-014568 (P494A0023100AT0) and N-014559 (P494A0021100AT0)	Asco Joucomatic SA	Ex ia IIC T4 Ga	Dekra Exam GmbH	BVS 10 ATEX E 023 Supplement 1 Date 29/10/2014

This Approval is granted subject to observance of the following conditions:-

- 2)The equipment shall be used only with approved type of accessories and associated apparatus.
- 3)Each equipment shall be marked either by raised lettering cast integrally or by plate attached permanently to the main structure to indicate conspicuously:-
  - (a) Name of the manufacturer
  - (b) Name and number by which the equipment is identified.
  - (d) Equipment reference number of this letter by which use of apparatus is approved.
  - (e) Protection level.
- 6) The After sales service and maintenance of subject equipment shall be looked after by your representative SV Gas Solutions Private Limited, Unit 45, Universal Industrial Estate, Goregaon (East), Mumbai 400 063.

**Conditions of the Approval:-**


The assembly is covered under EU Type Examination Certificate No. IEP 13 ATEX 0140 Supplement 4 dated 27/03/2017.  
This approval does not cover approval for solar panel or its accessories if installed along with the skid.

This approval also covers the permissible variations as approved under the Dekra Certification B.V./ Dekra Exam GmbH/ Electrosuisse div. Testing and Certification/ Munproekt JSC/ Physical Technical Testing Institute/ Sira Certification Service/ Turkish Standards Institute test reports referred above. This approval is liable to be cancelled if any of the conditions of the approval is violated or not complied with. The approval may also be amended or withdrawn at any time, if considered necessary in the interest of safety.

The field performance report from actual users/your customers of the subject equipment may please be collected and furnished to this office for verification and record on annual basis.

The Approval is Valid upto **31/12/2023**

Yours faithfully,

  
(Ninad Dattaram Gawade)  
Dy. Controller of Explosives  
For Chief Controller of Explosives  
Nagpur

**Copy to :**

1. Jt. Chief Controller of Explosives, West Circle, MUMBAI
2. SV Gas Solutions Private Limited, Unit 45, Universal Industrial Estate, Goregaon (East), Mumbai 400 063

For Chief Controller of Explosives  
Nagpur

(For more information regarding status, fees and other details please visit our website <http://peso.gov.in>)

**Note:-** Please submit the revalidation application one month before the date of Expiry of approval otherwise approval will be treated as cancelled and a fresh application for approval will be considered for the approval.